

## Correction: Summary of Glaucoma Diagnostic Testing Accuracy: An Evidence-Based Meta-Analysis

Saad Ahmed<sup>a</sup>, Zainab Khan<sup>b</sup>, Francie Si<sup>a</sup>, Alex Mao<sup>a</sup>, Irene Pan<sup>a</sup>, Fatemeh Yazdi<sup>c</sup>, Alexander Tsertsvadze<sup>c</sup>, Cindy Hutnik<sup>a</sup>, David Moher<sup>c</sup>, David Tingey<sup>a</sup>, Graham E. Trope<sup>d</sup>, Karim F. Damji<sup>e</sup>, Jean-Eric Tarride<sup>f</sup>, Ron Goeree<sup>f</sup>, Omar Akhtar<sup>g</sup>, William Hodge<sup>a, g, h</sup>

Corrections to article “Summary of Glaucoma Diagnostic Testing Accuracy: An Evidence-Based Meta-Analysis”, by Saad Ahmed et al, published in Vol. 8, No. 9, 2016, p641-649, doi: <http://dx.doi.org/10.14740/jocmr2643w>. The authors of this article would like to add an author, Omar Akhtar, who is entitled to authorship, the new author’s list should read as follows.

Saad Ahmed<sup>a</sup>, Zainab Khan<sup>b</sup>, Francie Si<sup>a</sup>, Alex Mao<sup>a</sup>, Irene Pan<sup>a</sup>, Fatemeh Yazdi<sup>c</sup>, Alexander Tsertsvadze<sup>c</sup>, Cindy Hutnik<sup>a</sup>, David Moher<sup>c</sup>, David Tingey<sup>a</sup>, Graham E. Trope<sup>d</sup>, Karim F. Damji<sup>e</sup>, Jean-Eric Tarride<sup>f</sup>, Ron Goeree<sup>f</sup>, Omar Akhtar<sup>g</sup>, William Hodge<sup>a, g, h</sup>

<sup>a</sup>Ivey Eye Institute, University of Western Ontario, London, ON, Canada

<sup>b</sup>Faculty of Medicine, Queen’s University, Kingston, ON, Canada

<sup>c</sup>Ottawa Hospital Research Institute, University of Ottawa, Ottawa, ON, Canada

<sup>d</sup>Department of Ophthalmology and Visual Sciences, University of Toronto, Toronto, ON, Canada

<sup>e</sup>Department of Ophthalmology, University of Alberta, Edmonton, AB, Canada

<sup>f</sup>Program for the Assessment of Technology and Health (PATH), and Department of Clinical Epidemiology and Biostatistics, McMaster University, Hamilton, ON, Canada

<sup>g</sup>Department of Epidemiology and Biostatistics, University of Western Ontario, London, ON, Canada

<sup>h</sup>Corresponding Author: William Hodge, Ivey Eye Institute, University of Western Ontario, 268 Grosvenor St, London, ON N6A 4V2, Canada

Manuscript accepted for publication January 20, 2017

<sup>a</sup>Ivey Eye Institute, University of Western Ontario, London, ON, Canada

<sup>b</sup>Faculty of Medicine, Queen’s University, Kingston, ON, Canada

<sup>c</sup>Ottawa Hospital Research Institute, University of Ottawa, Ottawa, ON, Canada

<sup>d</sup>Department of Ophthalmology and Visual Sciences, University of Toronto, Toronto, ON, Canada

<sup>e</sup>Department of Ophthalmology, University of Alberta, Edmonton, AB, Canada

<sup>f</sup>Program for the Assessment of Technology and Health (PATH), and Department of Clinical Epidemiology and Biostatistics, McMaster University, Hamilton, ON, Canada

<sup>g</sup>Department of Epidemiology and Biostatistics, University of Western Ontario, London, ON, Canada

<sup>h</sup>Corresponding Author: William Hodge, Ivey Eye Institute, University of Western Ontario, 268 Grosvenor St, London, ON N6A 4V2, Canada.

Email: [William.hodge@sjhc.london.on.ca](mailto:William.hodge@sjhc.london.on.ca)

doi: <https://doi.org/10.14740/jocmr2643wc1>